

Amendments to the Claims:

1. (Currently Amended) A diagnostic tool for communicating with a vehicular electronic control unit, said diagnostic comprising:
 - a microprocessor for executing an operating system and one or more diagnostic application programs;
 - a non-volatile storage device , in a form of at least one internal and external memory, coupled to said microprocessor; and
 - a user interface having at least one integrally connected ~~communications~~ media port for receiving a portable media device, wherein the media port is configured for remote updating of at least one of a diagnostic application program and memory of said tool, wherein said microprocessor, non-volatile storage device, and user interface are integrally connected to said diagnostic tool.
2. (Original) The diagnostic tool of claim 1, wherein said user interface of said tool is equipped with external ports usable for connecting communication and peripheral devices.
3. (Original) The diagnostic tool of claim 1, wherein said user interface includes a flash card port for supplying at least one of new application programs and upgrades to be loaded into said non-volatile storage device of said tool.

4. (Original) The diagnostic tool according to claim 3, wherein said tool memory and one or more resident diagnostic application programs are updated using a flash card.

5. (Original) The diagnostic tool of claim 1, wherein said user interface includes a PCMCIA card port for supplying modem, Ethernet and wireless communications.

6. (Original) The diagnostic tool of claim 1, wherein said user interface includes a smart card port for controlling authorized access of diagnostics application programs.

7. (Original) The diagnostic tool of claim 1, wherein said user interface includes one or more serial communication port usable to communicate with a personal computer.

8. (Original) The diagnostic tool of claim 1, wherein said user interface includes an infrared communication area used for infrared communication with a desired peripheral device.

9. (Original) The diagnostic tool of claim 1, wherein said user interface includes a universal serial bus port for communicating with at least one of a keyboard, printer and memory hard drive.

10. (Original) The diagnostic tool of claim 1, wherein said user interface includes a hardware interface module port for enabling implementation of cartridge-contained software application programs.

11. (Original) The diagnostic tool of claim 10, wherein said user interface includes a hardware interface module port for enabling implementation of emission upgrades.

12. (Original) The diagnostic tool of claim 10, wherein said user interface includes a hardware interface module port for enabling implementation of lab scope upgrades.

13. (Original) The diagnostic tool of claim 10, wherein said user interface includes a hardware interface module port for enabling implementation of ignition upgrades.

14. (Original) The diagnostic tool of claim 10, wherein said user interface includes a hardware interface module port for enabling implementation of re-flash upgrades.

15. (Original) The diagnostic tool of claim 10, wherein said user interface includes a hardware interface module port for enabling implementation of multi-meter upgrades.

16. (Original) The diagnostic tool of claim 1, wherein said user interface includes an external power port for recharging an internal battery.

17. (Original) The diagnostic tool of claim 1, wherein said user interface includes a 25-pin port used to connect a cable to a vehicle data link connector.

18. (Original) The diagnostic tool according to claim 4, wherein said tool is capable of establishing a point to point link to the Internet.

19. (Original) The diagnostic tool according to claim 18, wherein at least one of diagnostic program upgrades and modifications to said tool is performed using a bulletin board system through a point-to-point protocol connection.

20. (Currently Amended) A method of remotely updating diagnostic application programs residing in at least one of internal and external memory of a portable diagnostic tool, said method comprising the steps of:

providing a diagnostic tool for communicating with a vehicular electronic control unit, the diagnostic tool having a user interface having at least one integrally connected media port for receiving a portable media device wherein the media port is

configured for remote updating of at least one of a diagnostic application program and
memory of the diagnostic tool;

displaying upgrade procedures after electronic access by a user;
determining whether said diagnostic tool is valid for an update;
determining whether a valid smart card is present; and
providing user notification of the requested upgrade.

21. (Currently Amended) A diagnostic tool for communicating with a
vehicular electronic control unit, said diagnostic tool comprising:

means for executing an operating system and one or more diagnostic
application programs;

means for storing diagnostic application programs, said storing means
comprising at least one internal and external memory coupled to said means for executing;
and

means for interfacing with the diagnostic tool having at least one integrally
connected ~~communications~~ media port for receiving a portable media device, wherein the
media port is configured for remote updating at least one of a diagnostic application
program and a memory of said tool, wherein said executing means, storing means, and
interfacing means are integrally connected to said diagnostic tool.

22. (Previously Presented) The diagnostic tool of claim 21, further comprising:

means for displaying upgrade procedures after electronic access by a user.

23. (Previously Presented) The diagnostic tool of claim 21, further comprising:

means for determining whether said diagnostic tool is valid for an update.

24. (Previously Presented) The diagnostic tool of claim 21, further comprising:

87355.1601
Customer No. 30734

means for determining whether a valid smart card is present.

25. (Previously Presented) The diagnostic tool of claim 21, further comprising:

means for providing user notification of the requested upgrade.

87355.1601
Customer No. 30734


CONCLUSION

In view of the foregoing, reconsideration and allowance of the application are believed in order, and such action is earnestly solicited.

Should the Examiner believe that a telephone conference would expedite issuance of the application, the Examiner is respectfully invited to telephone the undersigned agent at 202/861-1538.

Respectfully submitted,

BAKER & HOSTETLER LLP



Marc W. Butler
Registration No. 50,219

Washington Square, Suite 1100
1050 Connecticut Avenue, N.W.
Washington, D.C. 20036-5304
Telephone: 202/861-1655
Facsimile: 202/861-1783
Date: April 12, 2004